

#### 1 - Headlamps



An authentic reproduction of the 8 1⁄2″ Lucas L140 type headlamp used on many British cars in the 1930s and 40s. British made, all brass construction with cast bronze components.




#### **TOBY VINTAGE HEADLAMPS**

We have worked with our specialist suppliers to re-tool these lamps from original Lucas lamp patterns. The bodies are spun in 18 gauge brass, with the reflector and bulb holder assembly, lamp rim and hinged stone guard rim (where fitted) in 20 gauge brass. The ball shell mounting base is lost wax cast in bronze. We finish all components in our workshop before polishing and plating, then final

This 8 <sup>1</sup>/<sub>2</sub>" lamp has the same rim and reflector as the L140, but a significantly deeper lamp shell. The reflector finish is silver plate as standard. Supplied as a pair of lamps.







The 9″ L150 headlamp used on British cars including those manufactured by Armstrong Siddeley, Austin, Commer, Daimler, Hillman, Lanchester, MG, Morris, Riley, Rover, Singer, SS, Triumph and Wolseley.

#### assembly.


- These superb lamps are all available with a range of options:
- Chrome plated or gloss black shell
- 'Difusa' or Domed and Fluted Lens
- Bi-flex Bar This bar, which spans the reflector and obscures the
- bulb, is cast in bronze and then chrome plated
- Stoneguards without, bracketed, or hinged
- Bulb options supplied with a focusable holder, choose traditional of LED bulbs

Toby 9 7/8" diameter projector headlamp - Equivalent to Lucas L165 (LB165S/LBD165S) used on British cars of the 1930s and 40s. Supplied as a pair of lamps.

This lamp has the same 9 7/8" rim and reflector as the L165, but a significantly deeper lamp shell. An impressive headlamp for large tourers. Supplied as a pair of lamps.



Pair of 5 <sup>3</sup>/<sub>4</sub>" free-standing headlights (with sidelights). Domed glass lens, standard H4 P43T bulb fitting. Polished stainless, or black powder coated 1267S-SL, 1267B-SL





Screw clamp for Lucas reflectors fitted with BA15 bulb holder sockets 644C



Headlamp double contact converter bulb holder for many vintage lamps 853

Lamp mounting bolt - hollow, used on various Lucas spot and sidelamps 631

Headlamp cork gasket, glass to reflector seal 4.5 x 7 x 750mm B-13066



Replacement brass bulb holders for 15mm diameter bases. Equal or offset locating pins, single or double contacts. Screw terminal connections 153E, 153S, 1530









Headlamp harness, H4 block, grommet, with or w/o wedge sidelight 58241, 5825W





12

Stem bolt, shake-proof washer and nut used in free standing headlights STEMBOLTKIT

High quality stem bolt cup for headlamp mounting 28mm inner cup STEMBOLTCUP

641





Headlamp EPDM rim seal for many Lucas lamps, inc L140, L150, etc 640




Headlamp medallion - TOBY Chrome on brass, fits 12.6mm hole 516TA



Rim catch, chrome plated bronze brackets for Lucas type headlamps 13016-A, 13016-B

Headlamp daisy head rim screw -18mm long 2BA thread







Replacement headlamp lenses, domed and fluted or flat diffused glass. Sizes - 8", 9", 10" 551308, 551093, 507163, 516173, 505975





### 2 - Rear, Spot & Fog Lamps



Diver's Helmet, superb brass lamp, 90mm diameter with 52mm bulls-eye glass lenses. Polished Brass | Nickel | Chrome CA1177





L494 type, chrome on cast body 140x75mm, 13mm mounting stem 356R, 356C



Stainless body (110 x 55mm) polycarbonate lens, single bolt fixing 978R, 978C



Flush mount, equivalent to Lucas 594 72mm diameter, stainless rim 993R-GLASS, 993C-GLASS





Recessed back lamp, equivalent to Lucas 594, Panel hole 35mm 299C, 299R



Recessed lamp with rubber boot and body, glass lens 298R, 298C

Small Rubber Lamp

equivalent to the Rubbolite Nº 5

259

Practical polished stainless 110 x 55mm Polycarbonate lens, 2 studs to rear 978F-R, 978F-C

TOBY Owl Eye Lamp - super reproduction, brass pressings, Red, clear or amber lenses, approx 152mm wide body. Polished Brass | Chrome plated. 901





Angle mounted, glass lens, equivalent

to Lucas L471 type

577

'D' Lamp - chrome, full glass lens

Equivalent to the Lucas ST51 type

428



rear wing. Morgan, MGA, Triumph

53330

Rear stop and tail lamp, as fitted to AC,

Jensen, Hillman. Chrome on brass rim

L542

Indicator 'D' Lamp, converted to add

indicator function

CA1149C



Pork pie stop/tail, brass body, glass lens, TOBY Badging 90mm diameter, with or without number-plate window 776B, 776B-WO



Pork pie with indicator conversion, 90mm brass body, TOBY badging, split lens with wedge bulbs, gloss black or chrome plated CA1249B, CA1249C



Pork pie stop/tail, brass body, chrome plated, with/without side window 776C, 776C-WO



Black split 'D' Lamp, early pattern Fitted with two bulb holders 249A

TOBY Rectangular Rear, glass lens

equivalent to Lucas ST52


ST52B



Black 'D' Lamp - full glass lens

Fitted with double contact bulbholder

Chrome split 'D' Lamp, early pattern Fitted with two bulb holders 428A







Stop & Tail, 83mm Austin, Bentley, Bristol, MG, Riley, Rover, Vauxhall, etc 539LST

Early pattern cylindrical rear lamp. Stop, tail, number-plate with prismatic glass lens. Chrome, nickel or black 288AC, 288AN, 288AB





Single lens Stainless Duolamp, 97mm body, 60mm deep CA1265



Single lens Black Duolamp, 97mm body, 60mm deep





958








-



Duolamp Red/Amber, stainless, with/ without numberplate illumination 211RA, 211RA-S

Duolamp Red/Red, stainless, with/ without numberplate illumination 211RR, 211RR-S





Long Range Spot, 184mm Convex glass lens with central knob CLR700

TOBY Rectangular Rear, glass lens.

116mm long, 53mm tall

ST52C

Flat Top Fog, approx 184mm across x 115mm deep, single bolt mounting CTF700S



Early pattern cylindrical rear lamp. Stop, tail, number-plate window. With larger plastic lens. Chrome, nickel or black 288C, 288N, 288B



Long Range Spot approx 146mm diameter, base mounted SLR576



Fog lamp 146mm, block type glass lens chrome centre knob STF576



5<sup>3</sup>/4" free-standing spotlight. TOBY badged, stainless rim, no pilot bulb 1267BSH1MED

5 <sup>3</sup>/<sub>4</sub>" spot light, stainless body & rim TOBY badged, accepts H1 bulbs 1267SH1MED





Pillar mounted spotlight & mirror As Raydyot HS495, chrome on brass 570M




5" chrome fog lamp, vintage lens pattern design from the 1940's C364007

Small chrome driving lamps (pair) approx 125mm diameter, 70mm deep CA1410



# 3 - Side Lamps, Indicators & Reflectors





Large sidelamp, 90mm diameter Can accept dual function bulb 592B



Large sidelamp, 90mm diameter Can accept dual function bulb 592C




Large sidelamp, nickel plated Can accept dual function bulb 592N



Stud mounted indicator, large or small 60 x 45mm or 40 x 25mm CA1293, CA1293A



Reflector, flat rubber back with screw 53mm, Chrome, Nickel or Brass 394C, 394N, 394B





Reflector, flat rubber back with screw 71mm, Chrome or Nickel rim CA1426





Reflector, flat rubber back with screw Angled rubber reflector 48mm, equivalent to Lucas type RER6. 74mm, equivalent to Lucas type RER2. 240 167

Lucas type reflector, alloy surround (42mm dia) and stepped bracket. 179

Stud mounted reflector, metal surround, 42mm or 58mm E80-NC-1, E187-NC-1

Œ

Reflector, chrome rim. 89 x43 mm


Triumph, Austin Healey, Midget, etc

RER22



51mm, deep Brass, Chrome, Nickel rim

CA837, 872C, 872N



Self-adhesive reflector 55mm disc, 40mm plain replacement disc REF310, REDREF1

Reflector on mounting plate with stud,



45 or 55mm, 'É' marked

REDREF2, REDREF3





### 4 – Bulbs

<b>Headlamp &amp; Spot</b> Single Filament		<b>Panel Bulbs</b> Single Filament	<b>Stafficator</b> Semaphore Arm Indicator Bulb
AMO </td <td>H7 PX26D Part Element Volts Watts Alt B477 Hal 12 55 B775 Hal 24 70 ED Alternatives PX26DLED-PP60</td> <td>PartElementVoltsWattsAltImage: Signal signal</td> <td>Festoon 6States of States Stat</td>	H7 PX26D Part Element Volts Watts Alt B477 Hal 12 55 B775 Hal 24 70 ED Alternatives PX26DLED-PP60	PartElementVoltsWattsAltImage: Signal	Festoon 6States of States Stat
British Pre-Focus BPF SC P36SPartElementVoltsWattsAltB172Inc636-B185Inc1248•B606Inc2444•ED Alternatives•• </td <td></td> <td>PartElementVoltsWattsAltImage: Barbon of the state o</td> <td></td>		PartElementVoltsWattsAltImage: Barbon of the state o	
British Pre-Focus BPF SC P36D       Part     Element     Volts     Watts     Alt       B177     Inc     12     60     -	High performance H7 PX26D Bright White LED	Side, Dash & Rear	B255BLEDA - Super bright amber flashing LED
B330 Inc 24 44 -	Double Filament	Single Filament	Warning Festoons & Bulbs
BA2OS single contact base BA2OS single contact base Part Element Volts Watts Alt B130 lnc 6 36 B96 lnc 12 48 0 B398 lnc 24 50 0	Image: Second	B253 Inc 6 5 6 8 B239 Inc 12 5 88	B1240 Inc 6 21 ₩▲
BA20s LED Alternatives BA20SLED-S30TR,  BA20SLED-S43TR BA20D double contact base Part Element Volts Watts Alt B397 Inc 12 45 -	Image: Asymptotic stateAsymptotic stateImage: Asymptotic state<	BA15D (Single Filament) Part Element Volts Watts Alt B206 Inc 6 5 * B209 Inc 12 5 * B150 Inc 24 5 -	B319 Inc 6 21 №

16.0 max

 $\Omega$ 

÷

→ 8.8 max. |←

Å

Ŷ

ЦШ

<- 26.5 → max.→

Q

- 26.5 ->


45.0


7.5 max


26.7 max


37.5 max.


5.9 max.












B1292B





75

12


LED Alternatives ■ BA21SLED-H30TR, ● BA21SLED-H43TR, 🗘 BA21SLED-H25YTR

Inc







■ BA15SLED-S30TR, 🛊 BA15DLED-43SB,




BA15S single contact base



LED Alternatives BA15SLED-S30TR, 🜍 BA13SLED-S43AX, ● BA13SLED-S43TR





00

SBC Ba15d

Ľ,

52.5 max.

7.5 max.

★ 36.5 →

54.0

17.0

|- 29.0 →| max.→|

5

00

-

-

32.0 map

BA15D (Twin Filament)							
Part	Element	Volts	Watts	Alt			
B168	Inc	6	24/24				
B170	Inc	6	35/35				
B171	Inc	12	35/35	<b>†</b> 0			
B1248	Inc	12	35/45				
B1248H	Hal	12	55/60	⊞			
B194	Inc	24	36/48	⊞			

LED Alternatives ■ BA15DLED-P43-6, S BA15DLED-H30L, O BA15DLED-H43L ⊚ BA15DLED-H43, 🖽 BA15DLED-P43

#### BA20D (Twin Filament)

	Part	Element	Volts	Watts	Alt
	B393	Inc	6	35/35	<b>A</b> *
	B393H	Hal	6	35/35	<b>*</b>
U	B395	Inc	12	35/35	
5	B395H	Hal	12	35/35	
BA20d	B396	Inc	12	40/45	<b></b>
	B399	Inc	24	40/45	<b>4 4</b>

LED Alternatives

BA20LED-H30L, ★ BA20DLED-P43-6N, ▲ BA20DLED-P43 📥 BA20LED-H43L

#### BA21D (Marchal type)

-	21	-		
Part	Element	Volts	Watts	Alt
B5912	Inc	6	40/45	<b>2</b>
B5912Y	Inc	6	40/45	٥
B5915	Inc	12	40/45	<b>* 9</b> *
B5915Y	Inc	12	40/45	۵ 🕊
B5915H	Hal	12	55/60	*

LED Alternatives 📱 BA21DLED-P43-6, 👌 BA21DLED-H25YL, 🍟 BA21DLED-H30L ❷ BA21DLED-H43L, ₩ BA21DLED-P30, ★ BA21DLED-P43

#### British Pre Focus SC P36D

#### BA15S (Single Filament)

	Part	Element	Volts	Watts	Alt		
	B205	Inc	6	5			
	B207	Inc	12	5	•		
0	B149	Inc	24	5	-		
BA15s	LED Alternatives ■ B205LEDW-A, ● B205LEDWW-A, ⊞ B245LEDWW						

BA9S (Single Filament)					
	Part	Element	Volts	Watts	Alt
	B293	Inc	6	4	0 🗪
	B233	Inc	12	4	1
	B122B	Inc	24	5	-
MCC Ba9s	<ul> <li>LED Alternatives</li> <li>O B293LEDW-B, ♥</li> <li>P8992LEDW</li> </ul>		V-B, <del>च</del> B23	33LEDWW,	

#### T10 Capless Wedge

Part	Element	Volts	Watts	Alt		
B501-6	Inc	6	5	π		
B501	Inc	12	5	0 😃		

**F** B117BLEDW, **O** B501LEDW-A, **U** B501LEDWW-A



Capless W2.1 x 9.5d

BA15D(lev	vel pins)			
Part	Element	Volts	Watts	Alt
B383	Inc	6	5/21	€≈0#
B3214A	Inc	6	5/18	۵
	Part B383	B383 Inc	PartElementVoltsB383Inc6	PartElementVoltsWattsB383Inc65/21

🧝 B381LEDW, 💑 B381LEDWW

Part Element Volts Watts

Alt

\*

		BA15S sing	gle conta	act bas	se
▲ 19.0 max.→		Part	Element	Volts	Wa
()		B244	Inc	6	1
30 o max.	<b>•O</b> )	B307	Inc	6	1
		B317	Inc	6	2
0 7.5 max.	SCC Ba15s	B245	Inc	12	1

- 15.7 ---

śЩ

Û

6.1 max

4.6 max.

B244	Inc	6	10	<b># 7</b>
B307	Inc	6	15	*
B317	Inc	6	21	<b>A</b>
B245	Inc	12	10	il 🔒
B309A	Inc	12	15	*4
B382	Inc	12	21	W 0 W
B343A	Inc	12	21	ō
B246	Inc	24	10	-
B352	Inc	24	15	-
B241	Inc	24	21	4
B241A	Inc	24	21	• 0

#### LED Alternatives


▲ B317LEDW, **III** B245LEDW, **B**245LEDWW, B382LEDWW, 🐶 B382LEDWS, a B382LEDA, B382LEDAS, B335LEDW, 
B335LEDWW


#### T15 Capless Wedge




🜔 B921LEDW-A, 🛧 B921ALEDW-A










T	Part	Element	Volts	Watts	Alt
62.0	B312	Inc	6	24/30	<b>=</b> 🖕 // 4
	B370	Inc	12	40/45	a 📚 🖋
1 000	B414	Inc	12	40/45	⁄ر چ ه
18.0 max. BPF	B414H	Hal	12	40/45	A 📚 🖋
₽36d	B463H	Hal	12	50/60	a 📚 🖋
	B437	Inc	24	44/54	a 📚 🖋

LED Alternatives ■ P36DLED-P43-6, P36DLED-P43, P36DLED-S43 🖐 P36DLED-H30L, 🥢 P36DLED-H43L, 🔶 P36DLED-S30-6P/N




■ P43TLED-H43L, ● P43TLED-P43, ★ P43TLED-PP63 



♥ B383LEDW, ♥ B383LEDWW, ◆ CSTLEDWWR-6N, ₩CSTLEDWWR-12

LED Combined Side (white) & Incicator (amber) 改 CSILEDW, 🏘 CSILEDWW,



#### LED Alternatives

**CSTLEDWWR-12Y** 

LED Combined Side (white) & Incicator (amber) ♥ CSILEDWY, ♬ CSILEDWWY,



B463BH - 60/50W P36D base HALOGEN



### 5 - Vintage Mirrors





Top rail mount for open tourers stainless steel, 145 x 73mm flat OV-17681



Top rail mount embossed stainless steel bracket, flat glass OV-17682



Stainless steel head and chrome stem Large dash mounted, stainless steel as fitted to MGA CA1263



head, 154 x 62mm

CA1318

Suction rear view mirror - Large, stainless steel head 156 x 63mm CA1367



CA1135



Single point mounting stud for our CA1262 & 653 mirrors 653BU



Mirror mounting arm – 7/16" diameter, adjustable knuckle, approx 165mm long 806arm-C, 806arm-N, 806arm-B

Mirror mounting arm - 3⁄8″ diameter, cranked adjustable, approx 240mm long 707arm-C, 707arm-N, 707arm-B

Mounting arm - 1/2" diameter, cranked, adjustable, approx 190mm 514arm-C, 514arm-N, 514arm-B

Extended mirror arm - extra 25mm reach for CA1262 and 653 mirrors 653ARM

Triangular mirror mounting brackets 70 or 98mm high, 95 x 15mm base 515s & 515L




### 6 - Classic Mirrors















Spring back mirror - 126 x 85mm 'Oval' head <shown with ARM **A** long> 379





Four designs of chrome stem to suit All 16mm mounting hole, protrude 50mm under ARMA, ARMB, ARMC, ARMD

The classic mix-and-match range of mirror arms and mirror heads. The standard mirror for many British cars of the 60s.

3 mirror head designs - round, oval & tapered with flat or panoramic glass.

4 arm designs with sprung bases to snap the mirror arm back into position after a knock.



Spring back mirror head - Tapered 123 x 102mm <shown with ARM **D** short> 381

Spring back mirror head - 107mm round head <shown with ARM **C** adjustable> 380




Spring back mirror head - 107mm round head 380



### 7 - Aeroscreens & Accessories







12″ Bracketed stoneguards Flat, brass, chrome plated **CA812-C** 



12″ Bracketed stoneguards Flat, brass, nickel plated **CA812-N** 



Premium Quality Tool Bag Thick leather handmade in Malvern **TOOLBAG2** 





Green canvas tool roll with leather strap Superb, locally made in Malvern **TOOLROLL1** 



Leather starter handle cover & strap Premium leather, locally made in Malvern **364P-BLK** 



Secure your starting handle safely and in style, 115mm long pocket **364P-BRN** 



1½" Premium leather padded bonnet strap With fitting kit **TOOLBAG2** 




2″ Premium leather padded bonnet strap With fitting kit 427-2P-2-BRN



Classic luggage strap set made from premium leather. Brown or Black 427LUG-BRN / BLK



### 8 - Catches & Badges



Spot lamp brackets - Lucas style Mount spots on <sup>3</sup>/4" or 1" bar LUCBRAK 3/4 or 1

Badge bar lamp bracket - for 19 to 25mm bars, suit small spot lamps CA892

2 Wheel brake sign Cast aluminium, 125mm tall x 127mm CA645

4 Wheel brake sign Brag about your amazing brakes! CA411

Caution 'Keep Off My Tail' sign 125mm tall x 127mm wide CA412



Enamel badge, chrome backing approx 56mm x 35mm, 591



Union Flag badge, self adhesive Enamelled 38mm or 50mm wide UFSAC38/ UFSAC50



Reproduction AA members badge 1945-1967, 128mm tall 97mm wide 305C



Chrome on brass licence holder stainless steel back and bracket CA1250



Dickey seat step - Aluminium curved under to fit mudguard CA747



Petrol can holder - 'Walker' type Quality nickel/brass 2 gallon carrier 360N



Petrol can holder - 'Walker' type Quality polished brass 2 gallon carrier 360B



Pratts **transfers** (PAIR) for petrol/fuel cans 165 x 115mm CA806



Shell transfers for petrol/oil cans 105mm wide x 108mm high (PAIR) CA807

Petrol can holder - Base frame type

for old 10" x 6" base cans

183



Rudge Whitworth wheel transfer Measures approx 36mm diameter CA852



Running board mat - leather straps 375 x 225mm, fits upto 300 board 365BLK

Running board mat - leather straps 375 x 225mm, fits upto 300 board 365BRN



Petrol can carrier- 'A' frame type Knurled clamp for 1 or 2 gallon cans CA1127

Bonnet catch with plate and stud Fitted to Morris, MG, Wolseley 116





#### 9 - Horns & Pushes



Boa Constrictor Serpent head horn 1750mm long, polished brass or nickel plated, Glass eyes CA1350

Small motor horn - brass, 14" straight 4" diameter horn bulb CA1330D

Boa Constrictor large trumpet horn

CA1360

Brass Horn reed threaded end, 13.5mm diameter x 65mm long 923



Brass double twist bugle 1920s style, 500mm overall, with mounting CA1330A



Boa Constrictor small trumpet horn

under-bonnet version, polished brass or nickel

CA1370



Rubber horn bulb - 70mm, 16mm hole Ideal for motorcycle horns 774



Rubber horn bulb 90mm 15mm hole- easily enlarged **617** 



Rubber horn bulb 93mm 16mm hole, long neck **CA762** 



Rubber horn bulb 115mm 15mm hole with brass ferrule 618



Klaxon type horn, black, chrome or red Very loud traditional sound of 00000-GA 348B, 348C, 348R



'Altette' type 12v horn with chrome rim High quality equivalent to Lucas 'Altette' ALT-12BL



Lucas 'Altette' horn with chrome rim 12V, without mounting bracket ALT-12



Flat mounting bracket with single hole fixing for the Lucas 'Altette' horn ALTB1



Flat mounting bracket with twin hole fixing for the Lucas 'Altette' horn ALTB2



Small electric horn with chrome grille 100mm diameter 12v or 6v CA884, CA884A



Large electric horn with chrome grille 150mm diameter 12v, loud CA883















Bull horn - 12V, control lever operated

Large & very loud! 200mm tall, 185mm deep

CA1387



Warning buzzer 12volt Reminder for indicators, fit behind dash BUZZ



Combined surface mounted horn/dip switch Base 50mm diameter, two bolt mounting 109

Push button dash switch Short for metal dash, 19mm hole 413



Solenoid starter/horn push switch - lvory Short for metal dash, 22.5mm hole fixing 413V



Push button dash switch 11 amps at 12v. 20mm hole panel fixing SPB106



Push switch flange mounted switch 38mm diameter, used as a horn push 434

Horn push button engraved 'Klaxon' Flanged for mounting on to dash CA795



Horn push button Flanged for mounting on to dash CA324

#### **VINTAGE SUPPLIES**

# 10 - Fuel System Parts & Specialist Gauges





6v Low Pressure Fuel Pump Pos or Neg earth, 2.5 - 8psi shut off **PFP6LP** 



6v Fuel Pump Pos or Neg earth, 5 - 8psi shut off **PFP6** 



Ki-Gass hand primer pump (A) Nickel, 44mm mounting flange **CA1307B-N** 



Ki-Gass hand primer pump (A) Brass, 44mm mounting flange **CA1307B-B** 



Ki-Gass (Type A & B) repair kits Replacement fittings for CA1307B type **CA1307B-RK, CA1307-RK, CA1307B-BR** 



12v Low Pressure Fuel Pump Pos or Neg earth, 2.5 - 4.5 psi shut off **PFP12LP** 



12v Fuel Pump - regular applications 5 - 9psi shut off, Pos or Neg earth **PFP12** 



High Pressure Fuel Pump 12v 10 - 14psi suitable for diesel engines **PFP12HP** 



Facet fuel pump 12v Road Neg earth, 18 gallons/hour, 4 - 4.5psi **1337CR** 



Low Pressure 12v Fuel Pump Suitable for up to approx 150bhp **PFP1** 











Boyce Motometer - Small Polished brass, 60mm **466BP**  Boyce Motometer - Small Plain chrome 60mm with gold face **466CP**  Boyce Motometer - Small Wreath 60mm diameter, requires 11mm hole in cap **466CW**  Boyce Motometer Large Brass Requires 16mm hole in cap for fitting **892B**  Boyce Motometer Large Chrome Wreathed rim, approx 85mm diameter **892C** 









Motometer Wings raised chrome small Period wings - Speed - (approx 128mm wide) **239C-C**  Motometer Wings flat 200mm Period wings to enhance the radiator cap **CA993C**  Motometer Wings small chrome period President - (approx 90mm wide) **239A-C** 



Bulb holder for Smiths gauges to hold screw-in MES 2.2w bulb CAB3002



### 11 - Dash Lamps & Lamp Spares



Vintage Pull-out dash lamp. Fits into a 32mm hole in dash Polished brass, black, chrome or nickel plated. 543



TOBY dash lamp equivalent to the Lucas DF41 type, twist-on switch 289



Dashboard lamp with helmet cover Fits metal dash hole approx 17mm 352





Jewel warning lamp, equivalent to Lucas type WL13. Red, Green, Blue, Amber JEWELR/G/B/A



Dash warning lamp with 22mm alloy rim Blue, Amber, Green, Red CA1235B/A/G/R

A super recreation of the Lucas D5 vintage cylindrical, pivoting dashboard lamp Brass construction, aluminium reflector, lever switch, steel spring clip base. DF5B, DF5C













Warning lamp equivalent to Lucas WL3 type. Green, Amber, Blue, Red 842G, 842A, 842B, 842R



Metal rimmed panel warning lamp 13mm hole, Red, Green, Blue, Amber 0609R/G/B/A

Two panel mount sockets with 2-pin plug (equal pins) for inspection lamps etc. 960


Bulb holder divider plate for 249/428/ST51 'D' type rear lamps. Accepts 2 x BA15S bulbs 767BH

Bulb holder divider plate for 776/ST38/'Pork Pie' type rear lamps Accepts 3 x BA15S bulbs 776BH



1130 lamp bulb holder, BA15S - single contact, Useful bulb holder (BA15) with bracket, (60mm or BAY15D - double contact, offset pin bulbs 1130BH







Bulb holder single ended, SBC/BA15D double contact. Thread diameter 19mm 422





Plug for SCC / SBC type bulb holders. Double or single contact. Cable enters through back. 254S, 254D



Bulb holder for festoon bulbs with spade connections, to fit 39mm or 42mm bulbs FBH39, FBH42

British Pre-focus P36D headlamp connector, double contact, 3-pin bayonet bulb holder 357-BPF




Replacement plain red lens for 249/428 (and Lucas ST51) type 'D' lamps 767



Replacement red split glass lens for ST51 type 'D' lamps, our part numbers 249A and 428A 767S

Clear side lens for 249/428 (and Lucas Type ST51) plain and split lens 'D' lamps 767A




Wire lens retaining clip - for 428/249 (and Lucas ST51 type) 'D' lamps 767W




Glass lens 82mm for Lucas type ST38/'Pork Pie' rear lamps, or our 776 reproductions. 776R-H













Clear side lens for 776/CA1249 (and Lucas ST38) 'Pork Pie' type lamps 776S



Acrylic lens for Lucas model 288-3 number plate lamp/light box. 95mm x 67mm 177L







Acrylic lens for Lucas model 288-3 number plate lamp/light box. 95mm x 67mm 177LRW

TOBY Lamp medallions and 'Red Dot' Sizes suitable for Lucas type lamps 516TA/B/C/D, 695T



'Pork Pie' Lamp Indicator Conversion Kit. Modify your 776 lamp or Lucas ST38/'Pork Pie' type rear lamps to also give amber turn indication. Features 3 wedge bulbs ST38CONV

Plastic lens & stainless cover for SF80 (SE100) trafficator semaphore arm 215, 215B

Rim retaining screw for 297 (and Lucas 1130) sidelamp lenses - stainless 865

Retaining screw for 249/428 (Lucas ST51 type)'D' Lamps' - stainless steel 524552<sup>.</sup>

Fixing nut for original Lucas ST38 'Pork Pie' lamps, 4BA thread, chrome on brass 776SCB



### 12 - Switches



SPB120 Dash Mount Indicator switch. Superb reproduction with very positive switch action SPB120-BROWN, SPB120-BLACK



SPB120 Dash Mount Indicator switch in the correct ivory colour SPB120-IVORY



Dash or stalk mounted indicator/trafficator switch 3-way, black **TS82** 



Column mounted indicator switch Black, max column size 38.5mm 154



Column mounted indicator switch Green illuminated end 154G



Mechanical clockwork flasher

Self cancels after 20-25 seconds

414

Column mounted indicator switch Chrome, illuminated - NOT self cancelling 930



Steel bracket for mounting the 414 flasher unit under the dash 414M



Indicator switch panel mounted Requires 25mm hole through metal panel 928











Indicator switch panel mounted Requires 25mm hole through metal panel 928V

Indicator switch illuminates in use 12v only, 25mm mounting hole 929

Toggle type indicator illuminated On/Off/On, changeable bulb 325302

Push button switch for wooden dash Makes contact when pushed 412



Rotary on/off turn switch Short shank for metal dash, 19mm hole 768C

Remote starter solenoid push for mounting in engine bay CA1400



Pull type starter solenoid switch Bulkhead fitting for heavy cables 945



Floor mounted starter switch as Lucas ST18 (076411, also SRB312) CA22



Starter switch that attaches to the motor case. 6 or 12 volt applications 946



Rotary lighting switch - 4 position (off, side, dip, main) 6 terminals to rear CA1446



Rotary lighting switch - Ivory 4 position to fit a metal dash (26mm hole) CA1446V





PLC5 Ignition/light switch requires 53mm hole in metal dash panel 836A





Pull on dash switch long shank 18x9mm, suitable for wooden dash. CA981B

Pull-on dash switch - Illuminated 10mm hole, equivalent to Lucas 56SA 56SA



Hazard flasher kit, 12v only illuminated knob, mount under dash SFB300



PLC6 Ignition and light switch combined key on/off and off/side/headlamp 836









Pull on dash switch, long shank 16x9mm

Equivalent to Lucas PS7

410

Dip switch, traditional floor mounted Base plate measures 75mm x 40mm 442



Brake light switch - Pull ON connects to brake linkage with a spring 415



Rubber cap for 442 dip switch

helps protect the switch and add grip.

442CAP

Battery master cut off switch with ignition kill function SSB103



Foot operated dip switch, for mounting through floor CA1211

Battery master switch, sturdy At 12 volts rated for 100 Amps continuous

CA1369



Two position dip switch. A very neat switch used to control accessories 9RW



Battery master switch, removable key mount in earth lead 445

Battery master switch. Simple yet effective, knob detaches if required 886

Brake stop light switch As Lucas pattern 51C 'pull on' brake switch 846



Toggle switch - On/Off, nickel Requires 13mm hole in metal panel CA430B

Surface mounted dip switch, black bakelite Genuine new old stock CA1206





### 13 - Wiper Components



Manual windscreen washer pump push button, 3mm max panel thickness **909A** 



Windscreen washers - small single jet & 13mm diameter twin jet **214S, 214D** 



Clear plastic windscreen washer system tube - 6.25mm OD, 3.75mm ID WASHER-TUBE



Vacuum wiper system tube 8mm OD, 3.25mm ID **405** 



Washer bottle kit with integral 12V pump - 1.2 litre, with jets, button, hose, etc. CA1373



Wiper arm adaptor - Shaft to Spline Secures with a pinch bolt, 6mm bore **CA395** 



Powerful, windscreen mounted silent motor, 12V, 110° sweep **479.12CWX** 



Modern motor for continual use Windscreen mounted, Auto-park **386.6, 386.12** 



Lucas CWX mounting (38mm centres) Windscreen mounted, Auto-park **386.6-CWX, 386.12-CWX** 



Windscreen mounted, Auto-park Stainless cover, 90° sweep CA292, CA293



Trico Vacuum wiper motor - NOS Small, windscreen mounted **459** 



Slave/idle wiper arm pivot, plated brass shaft size 3/16" diameter, **409** 





Tandem centre drive wiper assembly pre-war pattern, adjustable link & arms **408A**  Wrist type blade for flat screen, equivalent to Trico P1000 pattern, 250mm **478**  Stainless flat blade with screw clamp 10″ or 11″ - easily shortened CA396, CA396A Wrist (spoon) fitting blade for curved windscreens - 8,9,10,11,12 inch **697** 


**Slot & Peg Type Arms & Blades** Typical fitting for vehicles with flat windscreens. A rubber peg secures the wiper blade.



Flat screen blade, 5.2mm bayonet fitting, 10" (250mm) long **212** 

Slot & peg type blade for flat screens, stainless, 8, 9 or 10" - easily shortened **370, 371, 371A**  Sprung back for curved screen, 8 to 12″ 5.2mm Sprung back for curved screen, 10 to 15″ 7mm Rubber bayonet fitting bayonet fitting ty 213-5 213-7

Rubber peg & ducks foot peg to secure slot type wiper blades to wiper arms **372, 372A** 



**Wrist/Spoon Type Arms & Blades** Hook fitting usually found on vehicles with curved windscreens prior to 1960.



### 14 - Coach Building



Bifurcated copper rivet, 7.5mm head, stem 3.8 x 11mm - for bonnet tape 654



Bonnet rubbing tape - flat type Approx 3mm thick, 10-25mm wide 270, 231, 271, 232, 248, 920



Bonnet rubbing tape - beaded type Approx 4.5mm thick, 13-25mm wide 880, 246, 230, 247



Undrilled brass hinge strip. 64mm across open. 3, 4 or 6ft long 464.3, 464.4, 464.6



Bonnet hinge folded type, brass pin, stainless steel, 5ft length Side hinge (32mm open) and top hinge (44mm open) 711S, 711T



Dzus twist fastener - 16mm reach 38 x 22mm plate, panel fixing, ¼ turn 832B



Hood fastener fitted to top hood rail, to locate peg on windscreen frame 280



Small swivel catch for panels etc base 32.5 x 22.5mm 811



Over centre catch - Lockable Base 75 x 30mm, overall 93mm 965



Bonnet chrome hinge centre strip and folded steel side strips 16632, 16632-FL



Chrome end cover & clamp for centre strip. base 51mm x 13mm 16632-END













Throw over catch - Small, overall size approx 45 x 28mm. Chrome on brass 871L, 871R

Door check strap - Leather over spring steel as fitted to many vehicles 638-BRN, 638-BLK

Door check strap 30mm wide leather Fitted staples (loops), 190mm long 194-BRN, 194-BLK

Door check strap 30mm wide leather Fitted staples (loops), 150mm long 194A-BRN, 194A-BLK



Over centre catches from 65 x32mm base (80mm overall) to 77 x 26mm base (105mm overall) 301, 301A, 303



Door dovetail wedge and silencer Spring metal/rubber buffer 785



Door buffer wedge - shoe, rubber buffer and screw plate Large cast bronze = 41 x 36 x 14mm deep, small steel = 30 x 30 x 14mm deep 566.08SET, 197



Brass lock striker plate - click/click Cast brass, 38 x 32mm, double click 541



Brass lock striker plate - click

Cast brass, 22 x 54mm, single click

542



Dovetail door wedge, steel 24 x 52mm approx, High quality mating halves 423



Sidescreen fitting peg & socket chrome on brass, 8mm x 40mm pin 102, 103



Door hinge pin, tag, spring and nut For 51 or 64mm self aligning hinges 688A, 688F



Replacement brass balls for self aligning hinges 688B, 688C, 688D




Brass door hinges - undrilled Flap 1<sup>3</sup>/<sub>4</sub>" x 2" wide or 1<sup>1</sup>/<sub>2</sub>" x 2" wide 296, 596



Brass door hinges, steel pin , 5 equal knuckles - undrilled Flap closed size 11⁄2" x 4", 13⁄4" x 4", 2" x 4", 21⁄2 x 4" 652, 272, 823, 948













Window lift channel, 10mm internal zinc plated, suits most applications **867** 

Small surface mount vintage door lock, original early Morgan style Base size 86mm x 51mm, lever to top, square shaft hole. 540L, 540R



Surface mount vintage door lock, pre-war style lever handle Base size 87mm x 51mm, particularly suitable for open bodywork 471L, 471R







Window weatherstrip, black flock covered rubber, seals 10/10mm gap 382, 685

Window weatherstrip - Galvanised edge bead, 5mm x 17mm, Stainless edge bead, 5.5mm x 11.5mm 489, 715

Flexible metal window channel For 4.7mm to 6.4mm thick glass 488

Aluminium strip and rounded rubber insert, 16mm and 19mm Ideal for edging on the running boards 282.6, 283.6

### 15 - Electrical & Ignition







Spark plug terminals HT spade end for 7mm cable - solder connection 557

Brass spark plug terminal nut - for most modern plugs. 4BA thread 764





HTC straight spark plug terminal, as original early Champion version. HTC



Straight plug cap, black phenolic moulding , 5K carbon suppressor 0.292.00



Suppressed spark plug cap -Equivalent to NGK part LB05E LB05E


Suppressed CHAMPION plug cap, 90 degree angle (side entry) WCX600-CHAMP


12v Non-Ballasted Coil, screw-in top cable. As Lucas DLB100, 401650 COIL2


12v Non-Ballasted Coil, screw-in top cable. As Lucas DLB100, 401650 COIL6


12v Super Sports Coil, Non-Ballasted, primary resistance 2.8 ohms COIL8


CLASSIC



















Snap terminal connectors single or double with solder nipples 558, 559

Tinned brass ring terminals Wire crimp type RT3, RT4, RT15, RT21, RT27, RT30



Non Insulated FEMALE spade terminal for cables 1 to 2.5mm<sup>2</sup> TNIF63



Junction Box 38mm diameter 2 screw posts inside 308



Junction Box black Bakelite 3 screw posts, 42mm diameter 308A



Junction Box black Bakelite

4 screw posts, 51mm diameter

309




Junction Box black Bakelite 6 screw posts, 60mm diameter 375





Ross Courtney wire end terminal Brass - 3 sizes 721A, 721B, 721C



Bullet snap collectors crimp type for 1mm or 2mm wire 560C1, 560C2



Fuse Box - SF4 type, Bakelite Holds 4 glass fuses 908



SF5/2 type single fuse box Black Bakelite, 54 x 32mm 307



Fuse box to accept Bosch/continental cartridge fuses Screw-on cover, 6-way, 4-way or 2-way 659, 658, CA1394



### 16 - Brass Parts & Grease Nipples



Brass curved radiator drain tap. 1/8" BSP and 1/4" BSP 341, 340



Straight drain tap, OFF position is with the lever in line with tap. <sup>3</sup>/<sub>8</sub>" BSP, <sup>1</sup>/<sub>4</sub>" BSP, <sup>1</sup>/<sub>8</sub>" BSP 203, 339, 338



Brass Butterfly drain tap <sup>1</sup>/<sub>8</sub>" BSPT and <sup>1</sup>/<sub>4</sub>" BSPT (taper threads) 336, 337



Fuel & Oil Shut Off Taps- straight in-line valve. 1/8" BSP, 1/4" BSP, 1/8"-1/4" BSP, 3/8" BSP 202, 342, 343, 574



In-line tap kit with compression nuts & olives, for 1/4" or 5/16" OD copper pipe 342-COM-1/4, 342-COM-5/16





Fuel/Oil Push On/Off tap <sup>1</sup>/<sub>8</sub>" to <sup>1</sup>/<sub>4</sub>" BSP, or <sup>1</sup>/<sub>4</sub>" to <sup>1</sup>/<sub>4</sub>" BSP 895, 896



Malleable copper tube 1/8", 3/16", 1/4", 5/16", 3/8, 1/2" OD 155, 156, 157, 158, 159, 911





SU carb banjo bolt fits T1, T2 & T4 float chamber lids. <sup>3</sup>/<sub>8</sub>" BSPP thread 368P



Solder type banjo union with 1/8″ BSP with bolt and washers <sup>3</sup>/<sub>8</sub>" BSP for <sup>3</sup>/<sub>8</sub>" pipe, <sup>1</sup>/<sub>4</sub>" BSP for <sup>5</sup>/<sub>16</sub>" pipe, <sup>1</sup>/<sub>8</sub>" BSP for <sup>5</sup>/<sub>16</sub>" pipe 369, 368, 367













SOLEX carb banjo union, solder 1/4" pipe, M12 x 1.25 thread 368A



Brass drain plug with flange 1/8" BSP, 1/4" BSP, 3/8" BSP, 1/2" BSP 330, 331, 332, 333



Elbow with 60° cone seat Supplied in four BSP sizes ELBOW 1/8, 1/4, 3/8, 1/2



Elbow kit with solder nipples and nuts for  $\frac{1}{8}$  or  $\frac{3}{16}$  OD pipe 162-1/8, 162-3/16

Elbow kit with solder nipples and nuts for <sup>1</sup>/4", <sup>5</sup>/16", <sup>3</sup>/8", or <sup>1</sup>/2" OD pipe 348, 349, 350, 350A

Brass Y fitting for fitting oil pressure gauge/switch 1/8" BSP 984G



Tee piece, union body only, cone seat 1/8" BSP, 1/4" BSP, 3/8" BSP, 1/2" BSP TEE-1/8, TEE-1/4, TEE-3/8, TEE-1/2

Tee piece kit with solder nipples and nuts for 1/8" or 3/16" OD pipe 682-1/8, 682-3/16



Tee piece kit with solder nipples and nuts for 1/4", 5/16", 3/8", or 1/2" OD copper pipe 345, 346, 347, 347A



Double ended unions, cone seats 1/8" BSP, 1/4" BSP, 3/8" BSP, 1/2" BSP UNION-1/8, -1/4, -3/8, -1/2



<sup>1</sup>/<sub>8</sub>" BSP nut with flat-face solder nipple

for rear of oil pressure gauges

990-1/8, 990-3/16



Unequal union, cone seats <sup>1</sup>⁄<sub>4</sub>″ BSP to <sup>3</sup>⁄<sub>8</sub>″ BSP 163

Unequal union, 60° cone seats 1⁄8″ BSP to 3⁄8″ BSP 163A



Unequal union, 60° cone seats 1/8" BSP to 1/4" BSP 953

Union kit with solder nipples and nuts for  $\frac{3}{8}$ " for OD pipe or  $\frac{1}{2}$ " OD pipe 439, 439A

Union kit with solder nipples and nuts <sup>1</sup>/<sub>8</sub>", <sup>3</sup>/<sub>16</sub>", <sup>1</sup>/<sub>4</sub>", <sup>5</sup>/<sub>16</sub>" OD pipe 435, 436, 437, 438



Flexible hose fitting-barbed for <sup>3</sup>/8", <sup>5</sup>/16" or <sup>1</sup>/4" ID pipe CA826C, CA826A, CA826B



Side lever grease gun with rigid and flexible standard connectors 1/8″ BSP connection, 1.5cc per stroke, max 490 bar 942















Grease gun adaptors for TAT flat top nipples. Pull-on, or Push-on 108B, 108A

Grease gun adaptor for TAT flat top nipples. Adjustable angle 108C

4 Jaw precision coupler for grease nipples, machined & hardened jaws 108D

Grease gun adaptor to fit older bayonet style grease nipples 108D

Grease/oil gun adaptor for ENOTS style grease nipples 204, 205, 206

ENOTS type grease nipples and cap <sup>1</sup>/<sub>8</sub>" or <sup>5</sup>/<sub>16</sub>" BSF thread 204, 205, 206

Bayonet style grease nipple found on some older vehicles, 1/8" BSP 840



TAT style grease nipples, 1/8", 1/4", 3/8", <sup>5</sup>/<sub>16</sub>", M6, M10, M12 105, 105A, 107, 924, 429.6/10/12



Straight hydraulic grease nipple

7 thread sizes 1/8" - 3/8"

841STR

45° hydraulic grease nipple 6 thread sizes 1/8" - 3/8" 841ANG

90° hydraulic grease nipple 6 thread sizes 1/8" - 3/8" 841RIGHT.ANGLE

Vernier drive blanks - bronze Simms type, 14,15,19,20,23,24 teeth 446



Simms and Bosch types


449, 450, 873, 902, 915, 916



Cable adjuster, simple device for adjusting cables, approx 85mm wide 483







Main Bearings Big End Bearings Cam Bearings Small End Bushes **Pistons Liners** Piston Ring Sets Individual Rings **Valves Valve Guides** Valve Springs **F** Timing Chains **Dil Seals Gaskets Oil Pumps Oil Filters** 





# www.classicengineparts.co.uk